FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 2002

REPLACES ALL PREVIOUS EDITIONS

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7. SECTION A - PROPERTY OWNER INFORMATION For Insurance Company Use: Policy Number BUILDING OWNER'S NAME Doug Merrell BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. Company NAIC Number 128 Coral Ave. ZIP CODE FL 33708 Redington Shores PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Lot 74, SECOND ADDITION TO HARBOR SHORES SUBDIVISION BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.) Residential LATITUDE/LONGITUDE (OPTIONAL) HORIZONTAL DATUM: SOURCE: _I GPS (Type): (##° - ##' - ##,##" or ##.####") ___ NAD 1927 ___ NAD 1983 J USGS Quad Map SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER **B2. COUNTY NAME B3. STATE** Redington Shores 125141 Pinellas Florida **B6. FIRM INDEX** B9. BASE FLOOD ELEVATION(S) **B7. FIRM PANEL B4. MAP AND PANEL B5. SUFFIX** B8. FLOOD EFFECTIVE/REVISED DATE NUMBER DATE ZONE(S) (Zone AO, use depth of flooding) 3/2/83 3/2/83 **X**12 10.0' 125141 0001 B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9. X FIRM U Other (Describe): Community Determined I FIS Profile B11. Indicate the elevation datum used for the BFE in B9: [X | NGVD 1929 | NAVD 1988 | Other (Describe): B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? [___] Yes Designation Date: SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) ! IBuilding Under Construction* IXIFinished Construction *A new Elevation Certificate will be required when construction of the building is complete. C2. Building Diagram Number 7 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion. Datum NGVD 1929 Conversion/Comments Elevation reference mark used Redington B Does the elevation reference mark used appear on the FIRM? | 6 <u>2</u> ft.(m) ☐ a) Top of bottom floor (including basement or enclosure) 15 ☐ b) Top of next higher floor 6_ ft.(m) □ c) Bottom of lowest horizontal structural member (V zones only) ft.(m) 2 ft.(m) ☐ d) Attached garage (top of slab) ☐ e) Lowest elevation of machinery and/or equipment 0 ft.(m) servicing the building 3 ft.(m) ☐ f) Lowest adjacent grade (LAG) 5 8_ ft.(m) ☐ g) Highest adjacent grade (HAG) 40 ☐ h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade 2/25/02 ☐ i) Total area of all permanent openings (flood vents) in C3h ____1200 sq. in. (sq. cm) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. LICENSE NUMBER CERTIFIER'S NAME Edward C. Elliott 3983 COMPANY NAME Professional Surveyor & Mapper Overbeck & Elliott ADDRESS 33760 Roosevelt Blvd. TELEPHONE SIGNATURE

SEE REVERSE SIDE FOR CONTINUATION

FEMA Fc.m 81-31, AUG 99

	s, copy the corresponding information fr		For Insurance Company Use:
BUILDING STREET ADDRESS (Inc. 128 Coral Ave.	cluding Apt., Unit, Suite, and/or Bldg. No.) OR P.	O, ROUTE AND BOX NO.	Policy Number
CITY	STATE	ZIP CODE	Company NAIC Number
Redington Shores	FL	33708	
	ON D - SURVEYOR, ENGINEER, OR ARC		
	n Certificate for (1) community official, (2) in	nsurance agent/company, and (3) building owner.
COMMENTS			

			· · · · · · · · · · · · · · · · · · ·
			:
			Check here if attachmen
	EVATION INFORMATION (SURVEY NOT		
	ut BFE), complete Items E1 through E4. If t	he Elevation Certificate is intend	led for use as supporting
	R-F, Section C must be completed.		
	(Select the building diagram most simi	-	certificate is being completed –
. •	gram accurately represents the building, procluding basement or enclosure) of the buil		(am) I Ishaya ar I Ibalay
check one) the highest adja	-	ung is [_ n.(m) _ m	ı.(cm) above or belov
	ith openings (see page 7), the next higher f	loor or elevated floor (elevation b	a) of the building is
	bove the highest adjacent grade.	,	, or the banding to
	d depth number is available, is the top of the	e bottom floor elevated in accord	lance with the community's
floodplain management ordin	nance? Yes No Unknown.	The local official must certify this	s information in Section G.
SECTION	ON F - PROPERTY OWNER (OR OWNER)	S REPRESENTATIVE) CERTIF	ICATION ·
The property owner or owner's	authorized representative who completes S	ections A, B, and E for Zone A (v	vithout a FEMA-issued or
community-issued BFE) or Zone	e AO must sign here.		
DROBERTY OWNER'S OR OWNE	P'S ALITHODIZED DEDDESENTATIVE'S NAME		
PROPERTY OWNER'S OR OWNE	R'S AUTHORIZED REPRESENTATIVE'S NAME	<u> </u>	
	R'S AUTHORIZED REPRESENTATIVE'S NAME	STATE	ZIP CODE
ADDRESS		STATE	
ADDRESS SIGNATURE	СІТУ	STATE	
ADDRESS SIGNATURE	СІТУ	STATE	
ADDRESS SIGNATURE	СІТУ	STATE	
PROPERTY OWNER'S OR OWNE ADDRESS SIGNATURE COMMENTS	СІТУ	STATE TÉLÉPH	ONE
ADDRESS SIGNATURE COMMENTS	DATE	STATE TELEPH PRMATION (OPTIONAL)	ONE Check here if attachmen
ADDRESS SIGNATURE COMMENTS he local official who is authorize ections A, B, C (or E), and G of	SECTION G - COMMUNITY INFO d by law or ordinance to administer the conthis Elevation Certificate. Complete the ap	STATE TELEPH DRMATION (OPTIONAL) nmunity's floodplain managemen plicable item(s) and sign below.	ONE Check here if attachmen t ordinance can complete
ADDRESS SIGNATURE COMMENTS he local official who is authorize ections A, B, C (or E), and G of 1 The information in Sections	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the appon C was taken from other documentation the	STATE TELEPH DRMATION (OPTIONAL) nmunity's floodplain managemen plicable item(s) and sign below. nat has been signed and emboss	ONE Check here if attachmen t ordinance can complete sed by a licensed surveyor,
ADDRESS SIGNATURE COMMENTS he local official who is authorize ections A, B, C (or E), and G of engineer, or architect when the supplier of	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the appon C was taken from other documentation the is authorized by state or local law to certificate.	STATE TELEPH DRMATION (OPTIONAL) nmunity's floodplain managemen plicable item(s) and sign below. nat has been signed and emboss	ONE Check here if attachmen t ordinance can complete sed by a licensed surveyor,
ADDRESS SIGNATURE COMMENTS he local official who is authorize ections A, B, C (or E), and G of 1. The information in Section engineer, or architect whelevation data in the Cores.	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certificate area below.)	STATE TELEPH DRMATION (OPTIONAL) munity's floodplain management plicable item(s) and sign below, nat has been signed and emboss ify elevation information. (Indical	ONE Check here if attachmen t ordinance can complete sed by a licensed surveyor, te the source and date of the
ADDRESS SIGNATURE COMMENTS he local official who is authorize ections A, B, C (or E), and G of engineer, or architect whelevation data in the Core. 2. A community official core.	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the appon C was taken from other documentation the is authorized by state or local law to certificate.	STATE TELEPH DRMATION (OPTIONAL) munity's floodplain management plicable item(s) and sign below, nat has been signed and emboss ify elevation information. (Indical	ONE Check here if attachmen t ordinance can complete sed by a licensed surveyor, te the source and date of the
ADDRESS SIGNATURE COMMENTS he local official who is authorize ections A, B, C (or E), and G of engineer, or architect whelevation data in the Coracon and Community official coracon and Coracon AO.	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certi mments area below.) upleted Section E for a building located in Zo	STATE TELEPH DRMATION (OPTIONAL) Inmunity's floodplain management plicable item(s) and sign below. In the standard of the s	Check here if attachment ordinance can complete sed by a licensed surveyor, the the source and date of the community-issued BFE) or
ADDRESS SIGNATURE COMMENTS The local official who is authorize ections A, B, C (or E), and G of engineer, or architect whe elevation data in the Core and A community official core AO. 3. The following information	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certificate area below.) upleted Section E for a building located in Ze or (Items G4-G9) is provided for community for	STATE TELEPH DRMATION (OPTIONAL) nemunity's floodplain management plicable item(s) and sign below, nat has been signed and emboss fly elevation information. (Indications A (without a FEMA-issued of floodplain management purposes)	ONE Check here if attachmen It ordinance can complete sed by a licensed surveyor, te the source and date of the r community-issued BFE) or
ADDRESS SIGNATURE COMMENTS the local official who is authorize ections A, B, C (or E), and G of engineer, or architect whe elevation data in the Conzone AO. Zone AO. The following information	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certi mments area below.) upleted Section E for a building located in Zo	STATE TELEPH DRMATION (OPTIONAL) nemunity's floodplain management plicable item(s) and sign below, nat has been signed and emboss fly elevation information. (Indications A (without a FEMA-issued of floodplain management purposes)	Check here if attachment ordinance can complete sed by a licensed surveyor, the the source and date of the community-issued BFE) or
ADDRESS SIGNATURE COMMENTS the local official who is authorize ections A, B, C (or E), and G of a constant of the constant	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certi mments area below.) upleted Section E for a building located in Ze or (Items G4-G9) is provided for community for	STATE TELEPHI DRMATION (OPTIONAL) Inmunity's floodplain management plicable item(s) and sign below. In the plicable item and sign below. In the plicable item information. (Indication of the plicable item) To elevation information. (Indication of the plicable item) To elevation information information. (Indication of the plicable item) To elevation information information. (Indication of the plicable item) To elevation information informati	ONE Check here if attachmen It ordinance can complete sed by a licensed surveyor, te the source and date of the r community-issued BFE) or
ADDRESS SIGNATURE COMMENTS the local official who is authorize ections A, B, C (or E), and G of 1. The information in Section engineer, or architect where elevation data in the Corological company in the Corological Company in the following information G4. PERMIT NUMBER 17. This permit has been issued	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certi mments area below.) upleted Section E for a building located in Ze or (Items G4-G9) is provided for community for the community of the com	STATE TELEPHI DRMATION (OPTIONAL) Inmunity's floodplain management plicable item(s) and sign below. In the plicable item and emboss if y elevation information. (Indications A (without a FEMA-issued of the plant of the property of the plant of the pl	COMPLIANCE/OCCUPANCY
ADDRESS SIGNATURE COMMENTS The local official who is authorize ections A, B, C (or E), and G of 1. The information in Section engineer, or architect whelevation data in the Corella A community official community of a communit	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certificate area below.) upleted Section E for a building located in Zo in (Items G4-G9) is provided for community for the community for the community for the control of the building is:	STATE TELEPH DRMATION (OPTIONAL) Inmunity's floodplain management plicable item(s) and sign below. In the state of the	COMPLIANCE/OCCUPANCY [Check here if attachment or complete and date of the community-issued BFE) or community-issued BFE) or complete and complete are community-issued BFE) or complete are complete.
ADDRESS SIGNATURE COMMENTS The local official who is authorize ections A, B, C (or E), and G of engineer, or architect whe elevation data in the Conzone AO. I A community official comzone AO. I The following information G4. PERMIT NUMBER This permit has been issued B. Elevation of as-built lowest flogs. BFE or (in Zone AO) depth or the company of the company	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certificate area below.) spleted Section E for a building located in Ze on (Items G4-G9) is provided for community for the community for the community for the control of the building is: of flooding at the building site is:	STATE TELEPH DRMATION (OPTIONAL) Inmunity's floodplain management plicable item(s) and sign below. In the plicable item and sign below. In the plicable item and signed and emboss of the plicable item and signed	COMPLIANCE/OCCUPANCY
ADDRESS SIGNATURE COMMENTS the local official who is authorize ections A, B, C (or E), and G of engineer, or architect whe elevation data in the Conzone AO. [3. A community official comzone AO. [3. The following information G4. PERMIT NUMBER [57. This permit has been issued to the control of as-built lowest flees. BEE or (in Zone AO) depth of LOCAL OFFICIAL'S NAME	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certificate area below.) upleted Section E for a building located in Zo or (Items G4-G9) is provided for community for the community for: G5. DATE PERMIT ISSUED for: New Construction I Substate the continuing basement of the building is: fooding at the building site is:	DRMATION (OPTIONAL) Inmunity's floodplain management plicable item(s) and sign below. In the state of the st	COMPLIANCE/OCCUPANCY [Check here if attachment or complete and date of the community-issued BFE) or community-issued BFE) or complete and complete are community-issued BFE) or complete are complete.
ADDRESS SIGNATURE COMMENTS the local official who is authorize ections A, B, C (or E), and G of engineer, or architect whe elevation data in the Conzone AO. [3. A community official comzone AO. [3. The following information G4. PERMIT NUMBER [57. This permit has been issued to the control of as-built lowest flees. BEE or (in Zone AO) depth of LOCAL OFFICIAL'S NAME	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certificate area below.) upleted Section E for a building located in Zo or (Items G4-G9) is provided for community for the community for: G5. DATE PERMIT ISSUED for: New Construction I Substate the continuing basement of the building is: fooding at the building site is:	STATE TELEPH DRMATION (OPTIONAL) Inmunity's floodplain management plicable item(s) and sign below. In the plicable item and sign below. In the plicable item and signed and emboss of the plicable item and signed	COMPLIANCE/OCCUPANCY [Check here if attachment or complete and date of the community-issued BFE) or community-issued BFE) or complete and complete are community-issued BFE) or complete are complete.
ADDRESS SIGNATURE COMMENTS the local official who is authorize sections A, B, C (or E), and G of the section in Section of the section of	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certificate area below.) upleted Section E for a building located in Zo or (Items G4-G9) is provided for community for the community for: G5. DATE PERMIT ISSUED for: New Construction Substate or (including basement) of the building is: of flooding at the building site is:	DRMATION (OPTIONAL) Inmunity's floodplain management plicable item(s) and sign below. In the state of the st	COMPLIANCE/OCCUPANCY [Check here if attachment or complete and date of the community-issued BFE) or community-issued BFE) or complete and complete are community-issued BFE) or complete are complete.
ADDRESS SIGNATURE COMMENTS The local official who is authorize ections A, B, C (or E), and G of engineer, or architect whe elevation data in the Conzone AO. I A community official comzone AO. I The following information G4. PERMIT NUMBER This permit has been issued as. Elevation of as-built lowest flows. BFE or (in Zone AO) depth of LOCAL OFFICIAL'S NAME COMMUNITY NAME SIGNATURE	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certificate area below.) upleted Section E for a building located in Zo or (Items G4-G9) is provided for community for the community for: G5. DATE PERMIT ISSUED for: New Construction Substate or (including basement) of the building is: of flooding at the building site is:	DRMATION (OPTIONAL) Inmunity's floodplain management plicable item(s) and sign below. In the state of the st	COMPLIANCE/OCCUPANCY [Check here if attachment or complete and date of the community-issued BFE) or community-issued BFE) or complete and complete are community-issued BFE) or complete are complete.
ADDRESS SIGNATURE COMMENTS the local official who is authorize ections A, B, C (or E), and G of engineer, or architect whe elevation data in the Conzone AO. 3. The following information G4. PERMIT NUMBER 37. This permit has been issued 68. Elevation of as-built lowest fless. BFE or (in Zone AO) depth of LOCAL OFFICIAL'S NAME	SECTION G - COMMUNITY INFO d by law or ordinance to administer the com this Elevation Certificate. Complete the app on C was taken from other documentation the no is authorized by state or local law to certificate area below.) upleted Section E for a building located in Zo or (Items G4-G9) is provided for community for the community for: G5. DATE PERMIT ISSUED for: New Construction Substate or (including basement) of the building is: of flooding at the building site is:	DRMATION (OPTIONAL) Inmunity's floodplain management plicable item(s) and sign below. In the state of the st	COMPLIANCE/OCCUPANCY [Check here if attachment or complete and date of the community-issued BFE) or community-issued BFE) or complete and complete are community-issued BFE) or complete are complete.



OVERBECK & ELLIOTT, INC.

PROFESSIONAL SURVEYORS

3089 Roosevelt Blvd., Clearwater, Florida 33760 Phone (727) 524-9666 FAX (727) 524-9328

Certificate of Authorization L.B. # 6913

128 CORPLAVE

TIED TO: DOUG MERRELL


JOB No. 1047 SEC. 31, TWP. 30 S., RGE. 15 E. PINELLAS COUNTY, FLORIDA

LEGAL DESCRIPTION:

Lot 74, SECOND ADDITION TO HARBOR SHORES SUBDIVISION, according to the plat thereof as recorded in Plat Book 25, Page 48, of the Public Records of Pinellas County, Florida.



SCALE: 1" = 20'



SURVEYOR'S NOTES:

- .) ALL CORNERS FOUND HAVE NO NUMBER DESIGNATING PREVIOUS SURVEYOR OR COMPANY EXCEPT AS SHOWN.
- ALL BEARINGS AND DISTANCES ARE MEASURED PER PLAT AND/OR DEED UNLESS OTHERWISE NOTED.

 NO UNDERGROUND ENCROACHMENTS, FOUNDATIONS OR UTILITIES HAVE BEEN LOCATED OR SHOWN UNLESS OTHERWISE NOTED.

 NO INSTRUMENTS OF RECORD REFLECTING EASEMENTS, RIGHTS—OF—WAY AND/OR OWNERSHIP WERE FURNISHED THIS SURVEYOR
- 4.) NO INSTRUMENTS OF RECORD REFLECTING EASEMENTS, RIGHTS—OF—WAY AND/OR OWNERSHIP WERE FURNISHED THIS SURVE EXCEPT AS SHOWN HEREON.
 5.) ELEVATION DATUM: N.G.V.D. 1929, M.S.L. = 0.00, BENCHMARK: PINELLAS COUNTY "REDINGTON B", ELEV. = 4.549 BASIS OF BEARINGS: THE S. R/W LINE OF CORAL AVE. BEING N 89'46'39" E (PER PLAT)
 6.) THIS IS TO CERTIFY THAT I HAVE CONSULTED THE FEDERAL INSURANCE ADMINISTRATION FLOOD HAZARD BOUNDARY MAP, COMMUNITY No. 125141, PANEL No. 0001 B, EFFECTIVE DATE 3/2/83, AND THE HEREON DESCRIBED PROPERTY APPEARS TO BE IN ZONE A 12, WITH A BASE ELEVATION OF 10.0' M.S.L.
 7.) IN THE EVENT THAT A FENCE WILL BE ERECTED BASED ON THIS SURVEY, MONUMENTATION MUST BE USED,
- NOT BUILDING LOCATION REFERENCE DIMENSIONS
- 8.) THE SURVEY DEPICTED HERE IS NOT COVERED BY PROFESSIONAL LIABILITY INSURANCE,

ABBREVIATION LEGEND:

ABBRE VIA IION LEGE
F.I.R FOUND IRON ROD, SIZE INDICATED
SI 'ET IRON ROD, 1/2" P.S.M. #3983
F. OUND IRON PIPE, SIZE INDICATED
OUND NAIL AND DISK
S.N.D. SET NAIL AND DISK, P.S.M. # 3983
F.C.M. FOUND CONCRETE MONUMENT
P.R.M. PERMANENT REFERENCE MONUMENT
P.C.P. PERMANENT CONTROL POINT
P.J. POINT OF INTERSECTION
P.C. POINT OF CURVE
P.O.B. POINT OF BEGINNING
R/W RIGHT-OF-WAY
TYP. TYPICAL

TYPICAL

SECTION TOWNSHIP RGE. (D) (P) RANGE DEED PLAT (P)
(M) MEASURED
(C) CALCULATED
CONC. CONCRETE
COV. COVERED
ASDHALT ASPH. ASPHALT PVMT. PAVEMENT ELEV. ELEVATION WATER METER

CERTIFIED AS A BOUNDARY SURVEY

I HEREBY CERTIFY THAT THIS SURVEY MEETS THE MINIMUM TECHNICAL STANDARDS AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 61G17-6, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES.

REVISED: ADD IMPROVEMENTS 2/25 REVISED: ADD FOUNDATION 7/27/0 DATE: 4/12/01

EDWARD C. ELLIOTT, P.S.M. # 3983

UNLESS IT BEARS THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND
MAPPER THIS DRAWING SKETCH DIAT OF MAPPER TO SERVEYOR AND