O.M.B. No 306 Expires May 31

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMI Instructions for completing this form can be found on the following pages.

					900.
	TION A P	ROPERTY INF	ORMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME Citicorp Mortgage			,		POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suit 18200 Sunset Blvd.	te and/or Bldg	. Number) OR P.O.	ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numb. Lot 7 Less Northwester	ers, etc.) 1y 20',	Block 4,	Surfside #2.		
CITY Redington Shores				STATE	ZIP CODE
	TION B F	LOOD INSURA	NCE RATE MAP (FIRM	Florid	da ————————————————————————————————————
Provide the following from the proper			WOLTHIE MAF (FINI)	INFORMATION	
	L NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX		
125141 000	1	В	3/2/83	5. FIRM ZONE A11	6. BASE FLOOD ELEVATION (in AO Zones, use depth) 10.00 ¹
7. Indicate the elevation datum system 8. For Zones A or V, where no BFE is the community's BFE:	PIVVIUOU U	O LITER CHEDIVE MER	I IIIB community bas sale	shiishad a Dee /	Other (describe on back this building site, indicate
Using the Elevation Certificate Instru describes the subject, building's refe			G ELEVATION INFORM		
describes the subject building's refe a). FIRM Zones A1-A30, AE, AH, and of 110. If leet NGVD (or (b). FIRM Zones V1-V30, VE, and V (v) the selected diagram, is at an elev. (c). FIRM Zone A (without BFE). The fi below (check one) the highest (d). FIRM Zone AO. The floor used as one) the highest grade adjacent to level) elevated in accordance with the level of the elevation datum system to	d A (with Bi other FIRM with BFE). atlon of [FE). The top of datum—see So The bottom of the bottom of the bottom of the bottom to the building. If no flood denity's floodplain	ection B, Item 7). The lowest horizontal structed NGVD (or other FIRM belowed from the selected ding. The selected diagram is better than the selected diagram is better the number is available,	ctural member of I datum-see Secti diagram is leet abov Is the building's ic	the reference level from lon B, Item 7). Lifeet above C or or or below (check owest floor (reference)
3. Indicate the elevation datum system u under Comments on Page 2). (NOTE the FIRM [see Section B, Item 7], the equation under Comments on Page 2.	. II (III 616 ?II convert)	the elevations t	o the datum system used	vations is different I on the FIRM and	
. Elevation reference mark used appear	s on FIRM	: Yes X N	o (See Instructions on P	age 4)	
The reference level elevation is based (NOTE: Use of construction drawings case this certificate will only be valid for will be required once construction is con	is only vali The buildir mplete.)	d if the building ng during the co	does not yet have the re urse of construction. A p	ference level floor post-construction L	Elevation Certificate
The elevation of the lowest grade imme Section B, Item 7).	diately adj	acent to the bul	lding is:	feet NGVD (or of	ther FIRM datum-see
	SECT	ION D COMM	UNITY INFORMATION		
If the community official responsible for not the "lowest floor" as defined in the loor" as defined by the ordinance is: Late of the start of construction or subst		L leet NGVD	HIBRIDANI ORGINANA II	in alaualian at the	Example 11 of the second

SECTION E CERTIFICATION


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the intification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME Philip C. Stock	LICENSE NUMBER (or Allix Seal) R.L.S. #3035		
TITLE President	COMPANY NAME Target Land Surveying Inc.		
P.O. Box 663	спу Dunedin	STATE Florida	ZIP 34697
SIGNATURE Since & Service	DATE 7/7/93	PHONE 784-0573	

#930701-8 Benchmark= P.C.D. "Redington G", Map # 196, Elev.= 5.696'



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.