

Town of Redington Beach

17425 Gulf Blvd Redington Shores, FL 33708

Phone 727-262-2218

IMPERVIOUS SURFACE RATIO WORKSHEET

<u>IMPERVIOUS SURFACE</u> means a surface that has been compacted or covered with a lay_er;0f material so that it is highly resistant to or prevents infiltration by stormwater. It includes surfaces such as compacted limerock, or clay, as well as most conventionally surfaced streets, roofs, sidewalks, parking lots and other similar surfaces.

<u>IMPERVIOUS SURFACE RATIO (ISR)</u> means a measure of the intensity of hard surfaced development on a site. An impervious surface ratio is the relationship between the total impervious surface area on a site and the gross land area. The ISR is calculated by dividing the square footage of the area of all impervious surfaces on the site by the square footage of the gross land area.

LOT AREA: The area included within the lot lines of the lot. No public right-of-way shall be included in the calculation of the lot area.

CONTRACTOR NAME:			
CONTRACTOR ADDRESS:			
CONTRACTOR PHONE#:CONTRACTOR EMAIL:			
JOB SITE ADDRESS :			
LOT AREA SQ. FT.			
EXISTING IMPERVIOUS SURFACES:		PROPOSED IMPERVIOUS SURFACES:	
Building footprint:	SQ. FT.	Building footprint:	SQ. FT.
Parking & Drive areas:	SQ. FT.	Parking & Drive areas:	SQ. FT.
Pool & Patio areas:	SQ. FT.	Pool & Pati areas:	SQ. FT.
Walkways:	SQ. FT.	Walkways:	SQ. FT.
Other:	SQ. FT.	Other:	SQ. FT.
TOTAL EXISTING IMPERVIOUS SURFACE: SQ. FT.		TOTAL PROPOSED IMPERVIOUS SURFACE: SQ. F	
Total Existing Lot Area Existing Impervious Surface	sting Impervious Surface%	Total Proposed Lot Area Impervious Surface	Proposed Impervious Surface%
I,		he calculations submitted abov	ve for the Impervious
Surface Ratio are accurate and complete			
Contractor Signature:		Date:	